



CERTIFICATE OF ACCREDITATION

In terms of section 22(2) (b) of the Accreditation for Conformity Assessment, Calibration and Good Laboratory Practice Act, 2006 (Act 19 of 2006), read with sections 23(1), (2) and (3) of the said Act, I hereby certify that:-

ARCELORMITTAL SOUTH AFRICA LTD

Co. Reg. No.: 1998/002164/06

Facility Accreditation Number: T0260

is a South African National Accreditation System accredited facility provided that all conditions and requirements are complied with

This certificate is valid as per the scope as stated in the accompanying schedule of accreditation, Annexure "A", bearing the above accreditation number for

CHEMICAL ANALYSIS

The facility is accredited in accordance with the recognised International Standard

ISO/IEC 17025:2017

The accreditation demonstrates technical competency for a defined scope and the operation of a quality management system

While this certificate remains valid, the Accredited Facility named above is authorised to use the relevant accreditation symbol to issue facility reports and/or certificates

A handwritten signature in black ink, appearing to read "M Phaloane", is written over a horizontal line.

Mr M Phaloane
Acting Chief Executive Officer

Effective Date: 02 March 2021
Certificate Expires: 01 March 2026



ANNEXURE A
SCHEDULE OF ACCREDITATION

Facility Number: **T0260**

Permanent Address of Laboratory:

ArcelorMittal South Africa Ltd
 Vanderbijlpark Plant
 Delvos Blvd
 Vanderbijlpark
 1900

Technical Signatories:

Mrs K Herholdt-Du Preez (Only MCSMLQAWP-0033)
 Mrs S Nomntu (All methods excluding MCSMLQAWP-0033)

Postal Address:

P O Box 2
 Internal Post Point 30904
 Vanderbijlpark
 1900

Nominated Representative:

Mrs S Nomntu

Tel: (016) 889-3226

Fax: (016) 889-3502

E-mail: sekiwe.nomntu@arcelormittal.com

Issue No.: 13

Date of Issue: 02 March 2021

Expiry Date: 01 March 2026

Material or Products Tested	Type of Tests / Properties Measured, Range of Measurement	Standard Specifications, Techniques / Equipment Used
CHEMICAL		
Industrial Process water, Drinking water, Borehole water, River water	Ca, Mg, K, Na, S-SO ₄ , P, Fe, Mn, Cr, Zn, by ICP-OES	MCSMLQAWP- 0022 MCSMLQAWP- 0008
	pH; Alkalinity (Total) & Chloride by Auto-Titration	MCSMLQAWP- 0029 and 0031
	Ni, Ba, Pb, V, Cu, Sr by ICP-OEC	MCSMLQAWP- 0033
	Spectrophotometric determination of NO ₃ – N & NH ₃ – N by Discreet analysis	MCSMLQAWP- 0019

Original Date of Accreditation: 01 March 2006

ISSUED BY THE SOUTH AFRICAN NATIONAL ACCREDITATION SYSTEM



 Accreditation Manager